INDEX TO

EXPERIMENTAL MECHANICS

Volume 27, 1987

Title Index

Angle of Initiation and Propagation of Cracks in Ductile Media, The — P.S. Theocaris, N.P. Andrianopoulos and S. Kourkoulis, 120-125 (June)

Axial Compression Buckling of Conical and Cylindrical Shells — C.G. Foster, 255-261 (Sept.)

Basic Theory and Experimental Techniques of the Strain-Gradient Method — J.T. Pindera and F.W. Hecker, 314-327 (Sept.)

Behavior of Adhesive Joints in Corrosive Environment — R. Prakash, V.K. Srivastava and G.S.R. Gupta, 346-351 (Dec.)

Characteristic Angle and Light Intensity in Describing the Polarized State — S.S. Issa and K.-H. Laermann, 298-303 (Sept.)

Characterization of Photoviscoelastic Materials by a Nonlinear Constitutive Equation — H. Weber, 390-397 (Dec.)

D-C Electric-Potential Method Applied to Thermal/Mechanical Fatigue Crack Growth — G.A. Hartman and D.A. Johnson, 106-112 (Mar.)

Dependence of Crack Acceleration on the Dynamic Stress-Intensity Factor in Polymers — K. Takahashi and K. Arakawa, 195-200 (June).

Dependence of Crack Acceleration on the Dynamic Stress-Intensity Factor in Polymers, Discussion — T. Kobayashi, 200 (June).

Determination of Fracture Toughness by Means of Photoelastic Coating — H.C. Soo and I.M. Daniel, 10-13 (Mar.).

Determination of Plastic Stress-Strain Behavior by Digital-Image-Processing Techniques — S.M. Metwalli, A.R. Ragab, A.H. Kamel and A. Abdul Saheb, 414-422 (Dec.)

Determining the Contact Force During the Transverse Impact of Plates — J.F. Doyle, 68-72 (Mar.).

Dynamic Crack Curving and Branching Under Biaxial Loading — J.S. Hawong, A.S. Kobayashi, M.S. Dadkhah, B.S.-J. Kang and M. Ramulu, 146-153 (June).

Dynamic Response of a Thin Disk Subjected to a Thermal Pulse — C.A. Calder and R.H. Corneli, 352-358 (Dec.).

Effect of a Symmetric Discontinuity on Adjacent Material in a Longitudinally Vibrating Uniform Beam, The — W.T. Springer, K.L. Lawrence and T.J. Lawley, 168-171 (June).

Effect of Plastic Deformation on the Acoustoelastic Response of Some Materials — T. Daami, M. Touratier and L. Castex, 333-337 (Dec.).

Elastic Plates Under Bending Solved by Pseudo-caustics — P.S. Theocaris and E.N. Theotokoglu, 262-267 (Sept.).

Evaluation of Finite-Element Calculations in a Part-Circular Crack by Coherent Optics Techniques — G.H. Kaufmann, A.M. Lopergolo, S.R. Idelsohn and E.J. Barbero, 154-157 (June).

Experimental Analysis of Squeal of Read/Write Heads Upon Floppy-Disk Media — D.L. Miller and J.K. Good, 126-131 (June).

Experimental and Analytical Treatment of Matrix Cracking in Cross-Ply Laminates, An — S.E. Groves, C.E. Harris, A.L. Highsmith, D.H. Allen and R.G. Norvell, 73-79 (Mar.).

Experimental Buckling of GRP Cylindrical Shells — G. Abu-Farsakh, 1-9 (Mar.).

Experimental Investigation of How Accurate Simply Supported Boundary Conditions Can Be Achieved in Compression Testing Panels, An, Discussion — F.W. Chau, 388-389 (Dec.).

Experimental Investigation of Stiffened Tubular Joints — K.M. Tarhini and G.R. Frederick, 86-93 (Mar.).

Experimental Investigation of Transient Flexural Waves in Beams with Discontinuities of Cross Section — M.M. Al-Mousawi and H.R. Harrison, 404-413 (Dec.).

Experimental Investigation of Wave Velocity and Dynamic Contact Stresses in an Assembly of Disks — A. Shukla and C. Damania, 268-281 (Sept.).

Experimental Method for Determining the Location and Time of Initiation of an Unknown Dispersing Pulse, An — J.F. Doyle, 229-233 (Sept.).

INDEX TO

EXPERIMENTAL MECHANICS

Volume 27, 1987

Title Index

Angle of Initiation and Propagation of Cracks in Ductile Media, The — P.S. Theocaris, N.P. Andrianopoulos and S. Kourkoulis, 120-125 (June)

Axial Compression Buckling of Conical and Cylindrical Shells — C.G. Foster, 255-261 (Sept.)

Basic Theory and Experimental Techniques of the Strain-Gradient Method — J.T. Pindera and F.W. Hecker, 314-327 (Sept.)

Behavior of Adhesive Joints in Corrosive Environment — R. Prakash, V.K. Srivastava and G.S.R. Gupta, 346-351 (Dec.)

Characteristic Angle and Light Intensity in Describing the Polarized State — S.S. Issa and K.-H. Laermann, 298-303 (Sept.)

Characterization of Photoviscoelastic Materials by a Nonlinear Constitutive Equation — H. Weber, 390-397 (Dec.)

D-C Electric-Potential Method Applied to Thermal/Mechanical Fatigue Crack Growth — G.A. Hartman and D.A. Johnson, 106-112 (Mar.)

Dependence of Crack Acceleration on the Dynamic Stress-Intensity Factor in Polymers — K. Takahashi and K. Arakawa, 195-200 (June).

Dependence of Crack Acceleration on the Dynamic Stress-Intensity Factor in Polymers, Discussion — T. Kobayashi, 200 (June).

Determination of Fracture Toughness by Means of Photoelastic Coating — H.C. Soo and I.M. Daniel, 10-13 (Mar.).

Determination of Plastic Stress-Strain Behavior by Digital-Image-Processing Techniques — S.M. Metwalli, A.R. Ragab, A.H. Kamel and A. Abdul Saheb, 414-422 (Dec.)

Determining the Contact Force During the Transverse Impact of Plates — J.F. Doyle, 68-72 (Mar.).

Dynamic Crack Curving and Branching Under Biaxial Loading — J.S. Hawong, A.S. Kobayashi, M.S. Dadkhah, B.S.-J. Kang and M. Ramulu, 146-153 (June).

Dynamic Response of a Thin Disk Subjected to a Thermal Pulse — C.A. Calder and R.H. Corneli, 352-358 (Dec.).

Effect of a Symmetric Discontinuity on Adjacent Material in a Longitudinally Vibrating Uniform Beam, The — W.T. Springer, K.L. Lawrence and T.J. Lawley, 168-171 (June).

Effect of Plastic Deformation on the Acoustoelastic Response of Some Materials — T. Daami, M. Touratier and L. Castex, 333-337 (Dec.).

Elastic Plates Under Bending Solved by Pseudo-caustics — P.S. Theocaris and E.N. Theotokoglu, 262-267 (Sept.).

Evaluation of Finite-Element Calculations in a Part-Circular Crack by Coherent Optics Techniques — G.H. Kaufmann, A.M. Lopergolo, S.R. Idelsohn and E.J. Barbero, 154-157 (June).

Experimental Analysis of Squeal of Read/Write Heads Upon Floppy-Disk Media — D.L. Miller and J.K. Good, 126-131 (June).

Experimental and Analytical Treatment of Matrix Cracking in Cross-Ply Laminates, An — S.E. Groves, C.E. Harris, A.L. Highsmith, D.H. Allen and R.G. Norvell, 73-79 (Mar.).

Experimental Buckling of GRP Cylindrical Shells — G. Abu-Farsakh, 1-9 (Mar.).

Experimental Investigation of How Accurate Simply Supported Boundary Conditions Can Be Achieved in Compression Testing Panels, An, Discussion — F.W. Chau, 388-389 (Dec.).

Experimental Investigation of Stiffened Tubular Joints — K.M. Tarhini and G.R. Frederick, 86-93 (Mar.).

Experimental Investigation of Transient Flexural Waves in Beams with Discontinuities of Cross Section — M.M. Al-Mousawi and H.R. Harrison, 404-413 (Dec.).

Experimental Investigation of Wave Velocity and Dynamic Contact Stresses in an Assembly of Disks — A. Shukla and C. Damania, 268-281 (Sept.).

Experimental Method for Determining the Location and Time of Initiation of an Unknown Dispersing Pulse, An — J.F. Doyle, 229-233 (Sept.).

Experimental Study of Path Independence of the J Integral in an Aluminum Tensile Panel — J.T. Cardenas-Garcia, D.T. Read and J.C. Moulder, 328-332 (Sept.).
Experimental Study of a Metal-Matrix Composite — D. Post, R. Czarnek, D. Joh, J. Jo and Y. Guo, 190-194 (June).
Failure Modes of Specimen Containing Surface Flaws Under Cyclic Torsion — H. Nayeb-Hashemi, 51-56 (Mar.).
Fatigue Design of Bolted Joints Taking into Account Reliability Concepts — M. Hagiwara and I. Yoshimoto, 398-403 (Dec.).
Fracture Behavior of Brittle Plates and Cylindrical Shells Subjected to Concentrated Impulse Loading — S. Kida and J. Oda, 158-163 (June).
Further Development of the Iosipescu Shear Test Method — D.F. Adams and D.E. Walrath, 113-119 (June).
Hybrid Stress Analysis of Vibrating Plates Using Holographic Interferometry and Finite Elements — M.J. Engelstad, D.A. Chambless, W.F. Swinson and J.L. Turner, 23-30 (Mar.).
Investigation of the Iosipescu and Asymmetrical Four-Point Bend Test, An — B.S. Spigel, R. Prabhakaran and J.W. Sawyer, 57-63 (Mar.).
Is Load Control Suitable for Fracture-Energy Measurements for Concrete? — S.E. Swartz and H.C. Siew, 359-364 (Dec.).
Isoclinic Parameters for Biaxial Creep of Celluloid Under Variable Stresses — H. Tobushi, Y. Ohashi and K. Osawa, 370-375 (Dec.).
K_{III}-Deformation Modes in Internal Oblique Cracks Under Plane-Stress Conditions — P.S. Theocaris, 220-228 (June).
Measurement of Crossflow Forces on Tubes — T.M. Mulcahy, 138-145 (June).
Measurement of Favorable Residual Stresses in Polycarbonate — L.E. Hornberger and K.L. DeVries, 94-98 (Mar.).
Mixed-Mode Crack Growth in Plates Under Three- Point Bending — E.E. Gdoutos and D.A. Zacharopoulos, 365-369 (Dec.).
Moiré Interferometry for Vibration Analysis of Plates — A. Asundi and M.T. Cheung, 338-341 (Dec.).
New Integrated Photoelasticity Method for Axisymmetric Stress Distribution, A — P.B. Godbole, U.M. Chaudhari and S.K. Bhave, 31-36 (Mar.).
Object-Motion Measurements Using Pulse-Echo Acoustical Speckle and Two-Dimensional Correlation — M.A. Hamed, 250-254 (Sept.).
Optoelectronic-Strain-Measurement System for Rotating Disks — M.L. Simpson and D.E. Welch, 37-43 (Mar.).
Photoelastic Assessment of Finite-Element Analysis of a Pipe Tee — E. Salehi-Biglari, G.R. Buchanan and D.G. Smith, 201-207 (June).
Quantitation of Pressure-Sensitive Film Using Digital Image Scanning — R.J. Singerman, D.R. Pedersen and T.D. Brown, 99-105 (Mar.).
Residual-Stress Determination of Concentric Layers of Cylindrically Orthotropic Materials — G.Z. Voyiadjis and C.S. Hartley, 290-297 (Sept.).
Residual Stresses and Warpage in Woven-Glass/Epoxy Laminates — I.G. Zewi, I.M. Daniel and J.T. Gotro, 44-50 (Mar.).
Residual Stresses in Turned AISI 4340 Steel — A.B. Sadat and J.A. Bailey, 80-85 (Mar.).
Review and Evaluation of the Double-Torsion Technique for Fracture Toughness and Fatigue Testing of Brittle Materials — R.B. Tait, P.R. Fry and G.G. Garrett, 14-22 (Mar.).
Scattered-Light Analysis of a Surface-Flawed Plate Subjected to Cylindrical Bending — A.E. Segall and J.C. Conway, Jr., 64-67 (Mar.).
Shear Strains in a Graphite/PEEK Beam by Moiré Interferometry with Carrier Fringes — D. Post, R. Czarnek and D. Joh, 246-249 (Sept.).
Six Degrees of Freedom Motion Measurement with Application to Violin-Bowing Analysis — T.J. Chalko and C.E. Williams, 423-428 (Dec.).
Strain-Gage Methods for Measuring the Opening-Mode Stress-Intensity Factor, K_I — J.W. Dally and R.J. Sanford, 381-388 (Dec.).
Stable Crack Growth in Aluminum Tensile Specimens — B.S.-J. Kang A.S. Kobayashi and D. Post, 234-245 (Sept.).
Study of the Causes of Cracks in Bed Plates of a Ship's Diesel Engines, A — L.O. Ekerfors, 376-380 (Dec.).
Stress Measurement by Copper Electroplating Aided by a Personal Computer — A. Kato, 132-137 (June).
Summation Strain-Gage Alternative to Oblique Incidence in Photoelastic Coatings, A — W.E. Nickola, 304-313 (Sept.).
Transmission Photoelasticity of Centrally Loaded Generally and Specially Orthotropic Beams — J.L. Sullivan, E. Blais and H. Van Oene, 208-219 (June).
Ultrasonic Technique for Nondestructive Testing of Butt-Welded Steel Plate in Ship Hulls, An — M.A. Hamed and R. Contreras, 342-345 (Dec.).
Uncertainty Associated with the Gage Factor in Three-Element Strain-Gage-Rosette Measurements — P. Cappa, 429-431 (Dec.).
Unique Elevated-Temperature Tension-Torsion Fatigue Test Rig, A — E.H. Jordan and C.T. Chan, 172-183 (June).
Use of Oscillation on PSD-Based Instruments for X-Ray Measurement of Residual Stress, The — M.R. James, 164-167 (June).
Use of Photoelasticity to Determine Orthotropic K_I Stress-Intensity Factor — M. Mojtahed and L.W. Zachary, 184-189 (June).
Use of Precision Castings in the Three-Dimensional Photoelastic Analysis of Threaded Tubular Connections, The — H.E. Gascoigne, 282-289 (Sept.).

Author Index

Abdul Saheb, A.—Determination of Plastic Stress-Strain Behavior by Digital-Image-Processing Techniques, 414-422 (Dec.)
Abu-Farsakh, G.—Experimental Buckling of GRP Cylindrical Shells, 1-9 (Mar.).

Adams, D.F.—Further Development of the Iosipescu Shear Test Method, 113-119 (June).

Al-Mousawi, M.M.—Experimental Investigation of Transient Flexural Waves in Beams with Discontinuities of Cross Section, 404-413 (Dec.).

Allen, D.H.—An Experimental and Analytical Treatment of Matrix Cracking in Cross-Ply Laminates, 73-79 (Mar.).

Andrianopoulos, N.P.—The Angle of Initiation and Propagation of Cracks in Ductile Media, 120-125 (June).

Arakawa, K.—Dependence of Crack Acceleration on the Dynamic Stress-Intensity Factor in Polymers, 195-199 (June).

Asundi, A.—Moiré Interferometry for Vibration Analysis of Plates, 338-341 (Dec.).

Bailey, J.A.—Residual Stresses in Turned AISI 4340 Steel, 80-85 (Mar.).

Barbero, E.J.—Evaluation of Finite-Element Calculations in a Part-Circular Crack by Coherent Optics Techniques, 154-157 (June).

Bhave, S.K.—A New Integrated Photoelasticity Method for Axisymmetric Stress Distribution, 31-36 (Mar.).

Blais, E.—Transmission Photoelasticity of Centrally Loaded Generally and Specially Orthotropic Beams, 208-219 (June).

Brown, T.D.—Quantitation of Pressure-Sensitive Film Using Digital Image Scanning, 99-105 (Mar.).

Buchanan, G.R.—Photoelastic Assessment of Finite-Element Analysis of a Pipe Tee, 201-207 (June).

Calder, C.A.—Dynamic Response of a Thin Disk Subjected to a Thermal Pulse, 352-358 (Dec.).

Cappa, P.—Uncertainty Associated with the Gage Factor in Three-Element Strain-Gage-Rosette Measurements, 429-431 (Dec.).

Cardenas-Garcia, J.T.—Experimental Study of Path Independence of the *J* Integral in an Aluminum Tensile Panel, 328-332 (Sept.).

Castex, L.—Effect of Plastic Deformation on the Acoustoelastic Response of Some Materials, 333-337 (Dec.).

Chalko, T.J.—Six Degrees of Freedom Motion Measurement with Application to Violin-Bowing Analysis, 423-428 (Dec.).

Chambless, D.A.—Hybrid Stress Analysis of Vibrating Plates Using Holographic Interferometry and Finite Elements, 23-30 (Mar.).

Chan, C.T.—A Unique Elevated-Temperature Tension- Torsion Fatigue Test Rig, 172-183 (June).

Chau, F.W.—Discussion of An Experimental Investigation of How Accurate Simply Supported Boundary Conditions Can Be Achieved in Compression Testing Panels, 388-389 (Dec.).

Chaudhari, U.M.—A New Integrated Photoelasticiy Method for Axisymmetric Stress Distribution, 31-36 (Mar.).

Cheung, M.T.—Moiré Interferometry for Vibration Analysis of Plates, 338-341 (Dec.).

Contreras, R.—An Ultrasonic Technique for Nondestructive Testing of Butt-Welded Steel Plate in Ship Hulls, 342-345 (Dec.).

Conway, Jr., J.C.—Scattered-Light Analysis of a Surface-Flawed Plate Subjected to Cylindrical Bending, 64-67 (Mar.).

Cornell, R.H.—Dynamic Response of a Thin Disk Subjected to a Thermal Pulse, 352-358 (Dec.).

Czarnek, R.—Experimental Study of a Metal-Matrix Composite, 190-194 (June). Shear Strains in a Graphite/PEEK Beam by Moiré Interferometry with Carrier Fringes, 246-249 (Sept.).

Daami, T.—Effect of Plastic Deformation on the Acoustoelastic Response of Some Materials, 333-337 (Dec.).

Dadkhah, M.S.—Dynamic Crack Curving and Branching Under Biaxial Loading, 146-153 (June).

Dally, J.W.—Strain-Gage Methods for Measuring the Opening-Mode Stress-Intensity Factor, K_I, 381-388 (Dec.).

Damania, C.—Experimental Investigation of Wave Velocity and Dynamic Contact Stresses in an Assembly of Disks, 268-281 (Sept.).

Daniel, I.M.—Determination of Fracture Toughness by Means of Photoelastic Coating, 10-13 (Mar.). Residual Stresses and Warpage in Woven-Glass/Epoxy Laminates, 44-50 (Mar.).

DeVries, K.L.—Measurement of Favorable Residual Stresses in Polycarbonate, 94-98 (Mar.).

Doyle, J.F.—Determining the Contact Force During the Transverse Impact of Plates, 68-72 (Mar.). An Experimental Method for Determining the Location and Time of Initiation of an Unknown Dispersing Pulse, 229-233 (Sept.).

Ekerfors, L.O.—A Study of the Cause of Cracks in Bed Plates of a Ship's Diesel Engines, 376-380 (Dec.).

Engelstad, M.J.—Hybrid Stress Analysis of Vibrating Plates Using Holographic Interferometry and Finite Elements, 31-36 (Mar.).

Foster, C.G.—Axial Compression Buckling of Conical and Cylindrical Shells, 255-261 (Sept.).

Frederick, G.R.—Experimental Investigation of Stiffened Tubular Joints, 86-93 (Mar.).

Fry, P.R.—Review and Evaluation of the Double-Torsion Technique for Fracture Toughness and Fatigue Testing of Brittle Materials, 14-22 (Mar.).

Garrett, G.G.—Review and Evaluation of the Double-Torsion Technique for Fracture Toughness and Fatigue Testing of Brittle Materials, 14-22 (Mar.).

Gascoigne, H.E.—The Use of Precision Castings in the Three-Dimensional Photoelastic Analysis of Threaded Tubular Connections, 282-289 (Sept.).

Gdoutos, E.E.—Mixed-Mode Crack Growth in Plates Under Three-Point Bending, 365-369 (Dec.).

Godbole, P.B.—A New Integrated Photoelasticity Method for Axisymmetric Stress Distribution, 31-36 (Mar.).

Good, J.K.—Experimental Analysis of Squeal of Read/Write Heads Upon Floppy-Disk Media, 126-131 (June).

Gotro, J.T.—Residual Stresses and Warpage in Woven-Glass/Epoxy Laminates, 44-50 (Mar.).

Groves, S.E.—An Experimental and Analytical Treatment of Matrix Cracking in Cross-Ply Laminates, 73-79 (Mar.).

Guo, Y.—Experimental Study of a Metal-Matrix Composite, 190-194 (June).

Gupta, G.S.R.—Behavior of Adhesive Joints in Corrosive Environment, 346-351 (Dec.).

Hagiwara, M.—Fatigue Design of Bolted Joints Taking into Account Reliability Concepts, 398-403 (Dec.).

Hamed, M.A.—Object-Motion Measurements Using Pulse-Echo Acoustical Speckle and Two-Dimensional Correlation, 250-254 (Sept.). An Ultrasonic Technique for Nondestructive Testing of Butt-Welded Steel Plate in Ship Hulls, 342-345 (Dec.).

Harris, C.E.—An Experimental and Analytical Treatment of Matrix Cracking in Cross-Ply Laminates, 73-79 (Mar.).
Harrison, H.R.—Experimental Investigation of Transient Flexural Waves in Beams with Discontinuities of Cross Section, 404-413 (Dec.).
Hartley, C.S.—Residual-Stress Determination in Concentric Layers of Cylindrically Orthotropic Materials, 290-297 (Sept.).
Hartman, G.A.—D-C Electric-Potential Method Applied to Thermal/Mechanical Fatigue Crack Growth, 106-112 (Mar.).
Hawong, J.S.—Dynamic Crack Curving and Branching Under Biaxial Loading, 146-153 (June).
Hecker, F.W.—Basic Theory and Experimental Techniques of the Strain-Gradient Method, 314-327 (Sept.).
Highsmith, A.L.—An Experimental and Analytical Treatment of Matrix Cracking in Cross-Ply Laminates, 73-79 (Mar.).
Hornberger, L.E.—Measurement of Favorable Residual Stresses in Polycarbonate, 94-98 (Mar.).
Idelsohn, S.R.—Evaluation of Finite-Element Calculations in a Part-Circular Crack by Coherent Optics Techniques, 154-157 (June).
Issa, S.S.—Characteristic Angle and Light Intensity in Describing the Polarized State, 298-303 (Sept.).
James, M.R.—The Use of Oscillation on PSD-Based Instruments for X-Ray Measurement of Residual Stress, 164-167 (June).
Jo, J.—Experimental Study of a Metal-Matrix Composite, 190-194 (June).
Joh, D.—Experimental Study of a Metal-Matrix Composite, 190-194 (June). Shear Strains in a Graphite/PEEK Beam by Moiré Interferometry with Carrier Fringes, 246-249 (Sept.).
Johnson, D.A.—D-C Electric-Potential Method Applied to Thermal/Mechanical Fatigue Crack Growth, 106-112 (Mar.).
Jordan, E.H.—A Unique Elevated-Temperature Tension-Torsion Fatigue Test Rig, 172-183 (June).
Kamel, A.H.—Determination of Plastic Stress-Strain Behavior by Digital-Image-Processing Techniques, 414-422 (Dec.)
Kang, B.S.-J.—Dynamic Crack Curving and Branching Under Biaxial Loading, 146-153 (June). Stable Crack Growth in Aluminum Tensile Specimens, 234-245 (Sept.).
Kato, A.—Stress Measurement by Copper Electroplating Aided by a Personal Computer, 132-137 (June).
Kaufmann, G.H.—Evaluation of Finite-Element Calculations in a Part-Circular Crack by Coherent Optics Techniques, 154-157 (June).
Kida, S.—Fracture Behavior of Brittle Plates and Cylindrical Shells Subjected to Concentrated Impulse Loading, 158-163 (June).
Kobayashi, A.S.—Dynamic Crack Curving and Branching Under Biaxial Loading, 146-153 (June). Stable Crack Growth in Aluminum Tensile Specimens, 234-245 (Sept.).
Kobayashi, T.—Discussion of Dependence of Crack Acceleration on the Dynamic Stress-Intensity Factor in Polymers, 200 (June).
Kourkoulis, S.—The Angle of Initiation and Propagation of Cracks in Ductile Media, 120-125 (June).
Laermann, K.-H.—Characteristic Angle and Light Intensity in Describing the Polarized State, 298-303 (Sept.).
Lawley, T.J.—The Effect of a Symmetric Discontinuity on Adjacent Material in a Longitudinally Vibrating Uniform Beam, 168-171 (June).
Lawrence, K.L.—The Effect of a Symmetric Discontinuity on Adjacent Material in a Longitudinally Vibrating Uniform Beam, 168-171 (June).
Lopergolo, A.M.—Evaluation of Finite-Element Calculations in a Part-Circular Crack by Coherent Optics Techniques, 154-157 (June).
Metwalli, S.M.—Determination of Plastic Stress-Strain Behavior by Digital-Image-Processing Techniques, 414-422 (Dec.)
Miller, D.L.—Experimental Analysis of Squeal of Read/Write Heads Upon Floppy-Disk Media, 126-131 (June).
Mojtahed, M.—Use of Photoelasticity to Determine Orthotropic K_I Stress-Intensity Factor, 184-189 (June).
Moulder, J.C.—Experimental Study of Path Independence of the J Integral in an Aluminum Tensile Panel, 328-332 (Sept.).
Mulcahy, T.M.—Measurement of Crossflow Forces on Tubes, 138-145 (June).
Nayeb-Hashemi, H.—Failure Modes of Specimen Containing Surface Flaws Under Cyclic Torsion, 51-56 (Mar.).
Nickola, W.E.—A Summation Strain-Gage Alternative to Oblique Incidence in Photoelastic Coatings, 304-313 (Sept.).
Norvell, R.G.—An Experimental and Analytical Treatment of Matrix Cracking in Cross-Ply Laminates, 73-79 (Mar.).
Oda, J.—Fracture Behavior of Brittle Plates and Cylindrical Shells Subjected to Concentrated Impulse Loading, 158-163 (June).
Ohashi, Y.—Isoclinic Parameters for Biaxial Creep of Celluloid Under Variable Stresses, 370-375 (Dec.).
Osawa, K.—Isoclinic Parameters for Biaxial Creep of Celluloid Under Variable Stresses, 370-375 (Dec.).
Pedersen, D.R.—Quantitation of Pressure-Sensitive Film Using Digital Image Scanning, 99-105 (Mar.).
Pindera, J.T.—Basic Theory and Experimental Techniques of the Strain-Gradient Method, 314-327 (Sept.).
Post, D.—Experimental Study of a Metal-Matrix Composite, 190-194 (June). Stable Crack Growth in Aluminum Tensile Specimens, 234-245 (Sept.). Shear Strains in a Graphite/PEEK Beam by Moiré Interferometry with Carrier Fringes, 246-249 (Sept.).
Prabhakaran, R.—An Investigation of the Iosipescu and Asymmetrical Four-Point Bend Test, 57-63 (Mar.).
Prakash, R.—Behavior of Adhesive Joints in Corrosive Environment, 346-351 (Dec.).
Ragab, A.R.—Determination of Plastic Stress-Strain Behavior by Digital-Image-Processing Techniques, 414-422 (Dec.)
Ramulu, M.—Dynamic Crack Curving and Branching Under Biaxial Loading, 146-153 (June).
Read, D.T.—Experimental Study of Path Independence of the J Integral in an Aluminum Tensile Panel, 328-332 (Sept.).
Sadat, A.B.—Residual Stresses in Turned AISI 4340 Steel, 80-85 (Mar.).
Salehi-Biglari, E.—Photoelastic Assessment of Finite-Element Analysis of a Pipe Tee, 201-207 (June).

Sanford, R.J.—Strain-Gage Methods for Measuring the Opening-Mode Stress-Intensity Factor, K_I, 381-388 (Dec.).

Sawyer, J.W.—An Investigation of the Iosipescu and Asymmetrical Four-Point Bend Test, 57-63 (Mar.).

Segall, A.E.—Scattered-Light Analysis of a Surface-Flawed Plate Subjected to Cylindrical Bending, 64-67 (Mar.).

Shukla, A.—Experimental Investigation of Wave Velocity and Dynamic Contact Stresses in an Assembly of Disks, 268-281 (Sept.).

Siew, H.C.—Is Load Control Suitable for Fracture-Energy Measurements for Concrete?, 359-364 (Dec.).

Simpson, M.L.—Optoelectronic-Strain-Measurement System for Rotating Disks, 37-43 (Mar.).

Singerman, R.J.—Quantitation of Pressure-Sensitive Film Using Digital Image Scanning, 99-105 (Mar.).

Smith, D.G.—Photoelastic Assessment of Finite-Element Analysis of a Pipe Tee, 201-207 (June).

Soo, H.C.—Determination of Fracture Toughness by Means of Photoelastic Coating, 10-13 (Mar.).

Spigel, B.S.—An Investigation of the Iosipescu and Asymmetrical Four-Point Bend Test, 57-63 (Mar.).

Springer, W.T.—The Effect of a Symmetric Discontinuity on Adjacent Material in a Longitudinally Vibrating Uniform Beam, 168-171 (June).

Srivastava, V.K.—Behavior of Adhesive Joints in Corrosive Environment, 346-351 (Dec.).

Sullivan, J.L.—Transmission Photoelasticity of Centrally Loaded Generally and Specially Orthotropic Beams, 208-219 (June).

Swartz, S.E.—Is Load Control Suitable for Fracture- Energy Measurements for Concrete?, 359-364 (Dec.).

Swinson, W.F.—Hybrid Stress Analysis of Vibrating Plates Using Holographic Interferometry and Finite Elements, 23-30 (Mar.).

Tait, R.B.—Review and Evaluation of the Double-Torsion Technique for Fracture Toughness and Fatigue Testing of Brittle Materials, 14-22 (Mar.).

Takahashi, K.—Dependence of Crack Acceleration on the Dynamic Stress-Intensity Factor in Polymers, 195-199 (June).

Tarhini, K.M.—Experimental Investigation of Stiffened Tubular Joints, 86-93 (Mar.).

Theocaris, P.S.—The Angle of Initiation and Propagation of Cracks in Ductile Media, 120-125 (June).
K_{III}-Deformation Modes in Internal Oblique Cracks Under Plane-Stress Conditions, 220-228 (June). Elastic Plates Under Bending Solved by Pseudocaustics, 262-267 (Sept.).

Theotokoglu, E.N.—Elastic Plates Under Bending Solved by Pseudocaustics, 262-267 (Sept.).

Tobushi, H.—Isoclinic Parameters for Biaxial Creep of Celluloid Under Variable Stresses, 370-375 (Dec.).

Touratier, M.—Effect of Plastic Deformation on the Acoustoelastic Response of Some Materials, 333-337 (Dec.).

Turner, J.L.—Hybrid Stress Analysis of Vibrating Plates Using Holographic Interferometry and Finite Elements, 23-30 (Mar.).

Van Oene, H.—Transmission Photoelasticity of Centrally Loaded Generally and Specially Orthotropic Beams, 208-219 (June).

Voyiadjis, G.Z.—Residual-Stress Determination in Concentric Layers of Cylindrically Orthotropic Materials, 290-297 (Sept.).

Walrath, D.E.—Further Development of the Iosipescu Shear Test Method, 113-119 (June).

Welch, D.E.—Optoelectronic-Strain-Measurement System for Rotating Disks, 37-43 (Mar.).

Weber, H.—Characterization of Photoviscoelastic Materials by a Nonlinear Constitutive Equation, 390-397 (Dec.).

Williams, C.E.—Six Degrees of Freedom Motion Measurement with Application to Violin-Bowing Analysis, 423-428 (Dec.).

Yoshimoto, I.—Fatigue Design of Bolted Joints Taking into Account Reliability Concepts, 398-403 (Dec.).

Zacharopoulos, D.A.—Mixed-Mode Crack Growth in Plates Under Three-Point Bending, 365-369 (Dec.).

Zachary, L.W.—Use of Photoelasticity to Determine Orthotropic *KI* Stress-Intensity Factor, 184-189 (June).

Zewi, I.G.—Residual Stresses and Warpage in Woven-Glass/Epoxy Laminates, 44-50 (Mar.)

U.S. Postal Service

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION
Required by 39 U.S.C. 3685)

1A. TITLE OF PUBLICATION	1B. PUBLICATION NO.	2. DATE OF FILING
EXPERIMENTAL MECHANICS	0 0 1 4 4 8 5 1	11/5/87
3. FREQUENCY OF ISSUE: Quarterly	3A. NO. OF ISSUES PUBLISHED ANNUALLY: 4	3B. ANNUAL SUBSCRIPTION PRICE: $72.00

4. COMPLETE MAILING ADDRESS OF KNOWN OFFICE OF PUBLICATION (*Street, City, County, State and ZIP+4 Code*) (*Not printer*)
Society for Experimental Mechanics, Inc. 7 School St., Bethel, CT 06801

5. COMPLETE MAILING ADDRESS OF THE HEADQUARTERS OF GENERAL BUSINESS OFFICES OF THE PUBLISHER (*Not printer*)
Same as #4

6. FULL NAMES AND COMPLETE MAILING ADDRESS OF PUBLISHER, EDITOR, AND MANAGING EDITOR (*This item MUST NOT be blank.*)
PUBLISHER (*Name and Complete Mailing Address*)
K.A. Gallone, Society for Experimental Mechanics, Inc., 7 School St., Bethel, CT 06801
EDITOR (*Name and Complete Mailing Address*)
Same as above.
MANAGING EDITOR (*Name and Complete Mailing Address*)
M.E. Yergin, Society for Experimental Mechanics, Inc., 7 School St., Bethel, CT 06801

7. OWNER (*If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percentor more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.*) (*Item must be completed.*)

FULL NAME	COMPLETE MAILING ADDRESS
Society for Experimental Mechanics, Inc.	7 School St., Bethel, CT 06801

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES (*If there are none, so state*)

FULL NAME	COMPLETE MAILING ADDRESS
None	

9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES (*Section 423.12 DMM only*)
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (*Check one*)
(1) ☐ HAS NOT CHANGED DURING PRECEDING 12 MONTHS (2) ☐ HAS CHANGED DURING PRECEDING 12 MONTHS (*If changed, publisher must submit explanation of change with this statement.*)

10. EXTENT AND NATURE OF CIRCULATION (*See instructions on reverse side*)	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES (*Net Press Run*)	3575	3800
B. PAID AND/OR REQUESTED CIRCULATION 1. Sales through dealers and carriers, street vendors and counter sales	0	0
2. Mail Subscription (*Paid and/or requested*)	3184	2913
C. TOTAL PAID AND/OR REQUESTED CIRCULATION (*Sum of 10B1 and 10B2*)	3184	2913
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	187	156
E. TOTAL DISTRIBUTION (*Sum of C and D*)	3371	3069
F. COPIES NOT DISTRIBUTED 1. Office use, left over, unaccounted, spoiled after printing	204	731
2. Return from News Agents	0	0
G. TOTAL (*Sum of E, F1 and 2—should equal net press run shown in A*)	3575	3800

11. I certify that the statements made by me above are correct and complete. SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER: K.A. Gallone, Publisher